

PTFE HOSE DATA SHEET

NO.	ITEMS		RESULTS
1	MATERIAL		PTFE
2	BLASTING PRESSURE	23°C TEMP	3.5 Mpa
		100°C TEMP	1.5Mpa
		200°C TEMP	0.6 Mpa
3	ELONGATION RATE		>250%
4	TENSILE STRENGTH		>5Mpa
5	USING TEMP		-20--200°C
6	DENSITY		2.16G/CM3
7	MELTING POINT		300°C
8	WORKING PRESSURE	23°C TEMP	1.0 Mpa
		100°C TEMP	0. 4 Mpa
		200°C TEMP	0. 2 Mpa

